

Rocking horse center body
(cut to solid green line only)

Center body

A

1/4" hole

Align with centerline
of blank

1/4" hole

Align with centerline
of blank



13" x 24" center body blank

24"



13"



Rocking horse outer body - 2 required
(cut to solid green line only)




Outer body
(2 required)
B





13" x 24" outer body blank (2 required)

24"

13"




Join A and B as shown to make half pattern of rocker.
The other half is a mirror image.



Flush end of pattern with end of leg blank

Left rear leg outside face

D



1/8" through hole in 3/8" counterbore

1/4" roundover along perimeter of outside face

Stop 1/4" roundover on inner face

Centerline

Left front leg outside face


C

1/4" roundover along perimeter of outside face

Stop 1/4" roundover on inner face

Centerline


1/8" hole in 3/8" counterbore 1/2" deep



4° back bevel cut from outside face (see end view detail)

Flush end of pattern with end of leg blank

End view detail left rear leg, looking toward head (not to scale)



4° bevel

Flush end of pattern with end of leg blank

Right rear leg outside face

D

1/8" through hole in 3/8" counterbore

1/4" roundover along perimeter of outside face

Stop 1/4" roundover on inner face

Right front leg outside face

C

1/4" roundover along perimeter of outside face

Centerline

Stop 1/4" roundover on inner face

1/8" hole in 3/8" counterbore 1/2" deep




4° back bevel cut from outside face (see end view detail)

Flush end of pattern with end of leg blank


Centerline

End view detail right rear leg, looking toward head (not to scale)




4° bevel

Saddle seat (side view) **K**



Saddle sides
(2 required)

L



Stirrup strap

M

